




宁波九隆五金有限公司
NINGBO JIULONG HARDWARE CO.LTD



BE WITH US, BE WITH SAFETY!

Factory Add: NO.33 Technology Street, Ninghai,Ningbo
Office Add: 5F, Guangbo International Centre,No.1357 Yinxian Road,Ningbo,China
Tel: 0086-574-82815295
Mob: 0086-13989392999 (Wechat,WhatsApp)
Fax: 0086-574-82815296
P.C: 315100
Web: www.nb-jiulong.com / www.jltiedown.com
Email: sales@jlhardware.com / jack@jlhardware.com



Safety Series manual 2024





Safety Helmet

CE



JL SH100

Safety Helmet

50pcs/56.5x44x67cm

- Outer shell is made from HDPE or ABS material
- Suspension type: 6 points, can choose 6 types suspension
- Normal color: Yellow, White, Red, Blue, Grey, Orange, Color can be customized if reach our MOQ



JL SH100-1



JL SH100-2



JL SH100-3



JL SH100-4



JL SH100-5



JL SH100-6



Safety Helmet

CE



JL SH104

Safety Helmet

40pcs/52x46x60cm

- Outer shell is made from ABS or HDPE material
- Suspension type: 4 points, can choose 2 types
- Blue, Grey, Orange, Green, Yellow, White, Color will be available



JL SH104-1



JL SH104-2



Safety Helmet

CE



JLSH106

Safety Helmet
40pcs/52x46x60cm

- Outer shell is made from ABS or HDPE material
- Suspension type: 4 points or 6 points can choose 2 types
- Blue, Grey, Orange, Green, Yellow, White, Color will be available
- Ventilation on the top to make user feel more comfortable



JLSH106-1



JLSH106-2



Safety Helmet



CE



JLSH118

Safety Helmet
50pcs/52x46x50cm

- Outer shell is made from HDPE material
- Suspension type: 6 points,
- Normal color: Yellow, White, Red, Blue, Grey, Orange, Color can be customized if reach our MOQ





Safety Helmet



CE

HOT



JLSH120

Safety Helmet

40pcs/58x46x53cm

- Outer shell is made from HDPE or ABS material
- Suspension type: 6 points, can choose 6 types
- Normal color: Yellow, White, Red, Blue, Grey, Orange, Color can be customized if reach our MOQ
- Ventilation on the top to make user feel more comfortable



JLSH120-1



JLSH120-2



JLSH120-3



JLSH120-4



JLSH120-5



JLSH120-6



Safety Helmet



NEW



JLSH102

Safety Helmet

30pcs/68x30x55cm

- Outer shell is made from ABS or HDPE material
- Suspension type: 6 points can choose 6 types
- Blue, Grey, Orange, Yellow, White, Green, Color will be available
- Ventilation on the top to make user feel more comfortable



JLSH102-1



JLSH102-2



JLSH102-3



JLSH102-4



JLSH102-5



JLSH102-6



Safety Helmet

CE
ANSI



HOT



JLSH109

Safety Helmet

30pcs/64x30x60cm

- Outer shell is made from ABS or HDPE material
- Suspension type: 4 points, ratchet suspension
- Blue, Grey, Orange, Yellow, White, Green, Color will be available



HOT



JLSH123

Safety Helmet

30pcs/50x43x49cm

- Outer shell is made from ABS or HDPE material
- Suspension type: 6 points
- Blue, Grey, Orange, Green, Yellow, White, Color will be available



Safety Helmet

Elastic cord can be customized



Chin can choose A or B



A-type



B-type

Pothook can choose



1



2



3



JLCB001
Chin Buckle



JLCB002
Chin Buckle




JLCB003
Chin Buckle



JLCB004
Chin Buckle



JLCB005
Chin Buckle



JLCB006
Chin Buckle

Packing list

Size :	62X35X39CM
QTY :	1000PCS
G/N:	11/10KGS



Safety Clothing



JLLB001

Professional new safety man vests body warmer with good price
Material: 100% polyester
Description: 5cm width high reflective tape with EN471,
Round or square collar, can print logo on back
Color: Different color is available
Size: S-4XL



JLLB001-3



JLLB001-4



JLLB001-1



JLLB001-2



JLLB001-5

Product Description
Professional new safety man vests body warmer with good price
Material: 100% polyester
Description: 5cm width high reflective tape with EN471, Round or square collar, can print logo on back
Color: Different color is available
Size: S-4XL

Safety Clothing



JLLB001-6



JLLB001-7

Products Name: cotton working coveralls
Fabric 100% polyester, 100% cotton or 65/35 polyester cotton
Color Any color is available
Assories Elastic Waist,PVC zippers,Reflective Tape
OEMYes
Size:S-5XL
Quality: 12 months guarantee
Feature: Plus Size,breathable,quick dry
Meet standard:CE
MOQ: 1000 PCS
Packing: 1 pcs per color box, 25 pcs per carton
Application: Oil industrial,Road,GasStation,Mining,Construction,Electric



JLLB001-8



JLLB001-9



JLLB001-10



Eye&Face Protection



JLLB002

Products Name: Z87 Adjustable Eye Work Construction Goggles Industrial Protective Safety Glasses
Material: PC /nylon
Color Any color is available
Lens color: grey/green/yellow/crystal
OEM Yes
Lens: UV lens/Hard coating/Anti-fog
Quality: 12 months guarantee
Feature: print logo is available
Meet standard: ANSI Z87 / CSA / EN166/CE
MOQ: 3000 PCS
Packing: 1pc/poly bag, 10pc/box, 200pc/carton
Application: Oil industrial, Road, Gas Station, Mining, Construction, Electric



JLLB002-1



JLLB002-3



JLLB002-4



JLLB002-5



JLLB002-6

1. Protects face from sparks and spatter
2. Flip front lens for easy weld inspection
3. with eyeglass and edge

Eye&Face Protection



Products Name: dark lens industrial welding glasses for eye protection
Material: PC /nylon
Color Any color is available
Lens color: grey/green/yellow/crystal
OEM Yes
Lens: UV lens/Hard coating/Anti-fog
Quality: 12 months guarantee
Feature: print logo is available
Meet standard: ANSI Z87 / CSA / EN166/CE
MOQ: 3000 PCS
Packing: 1pc/poly bag, 10pc/box, 200pc/carton
Application: Oil industrial, Road, Gas Station, Mining, Construction, Electric



JLLB002-7



JLLB002-8



JLLB002-9



JLLB002-10



JLLB002-11



Application: welding work, protect your eyes and face from hurt by splash
Safety Protection For Welding & Grinding , Inner adjustment
Material: PP, PA, ABS, LCD, Solar Panel, PCB etc.




Respiratory Protection



JLLB003

Respiratory Protection

Products Name:
Professional respiratory models silicon rubber rain overshoes
Material: PVC
Color green/blue/black or customized
OEM Yes
type: double filter with one valve
Feature: Anti-dust, organic/acid gas
Meet standard: CE
MOQ: 1000 Pcs
Packing: 50pcs per box
Application: paint spraying, coal mining, chemical industry



JLLB003-1



JLLB003-2



JLLB003-3



JLLB003-4

Respiratory Protection



JLLB003-5



JLLB003-6



JLLB003-7



JLLB003-8

Dust Mask

Products Name: Hot selling dust face mask with low price
Material: PPMB non-woven
Color Any color is available
OEM Yes
type: earloop
Feature: Eco-friendly
Meet standard: CE
MOQ: 4000 Pcs
Packing: 40pcs per box
Application: Construction, mining, textile, hospital



JLLB003-9



Safety Shoes



Safety Shoes



JLSS001
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS002-1
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS002-3
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS002
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS002-2
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS002-4
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



Safety Shoes



JLSS007
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS007-1
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS008
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS060
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS012
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS062
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



Safety Shoes



JLSS015
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS061
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS021
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS016
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS018
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS022
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



Safety Shoes



JLSS046
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS047
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS048
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS049
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS017
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS050
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



Safety Shoes



JLSS051
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS013
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS052
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS043
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS053
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS054
Safety Shoes
Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



Safety Shoes



JLSS055

Safety Shoes

Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS056

Safety Shoes

Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS058

Safety Shoes

Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS059

Safety Shoes

Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS023

Safety Shoes

Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm



JLSS023-1

Safety Shoes

Standard :SB SBP S1 S1P S2 S3
10pair/61x41x36.5cm

Safety Shoes



PVC Rainboot
10 pair/50x30x48cm
With Steel Toe/Plate



JLSS032-YB



JLSS032-WY



JLSS032-BB



JLSS032-GY



JLSS032-GB



JLSS032-BY



JLSS032-YR



Safety Shoes



JLSS031
PVC Rainboot Without Steel
10 pair/50x30x43cm



JLSS031-BB



JLSS031-BR



JLSS031-WW



JLSS031-BY




JLSS031-GB



JLSS031-YY



Traffic Cone



JLTC001

JLTC004

Item Code	Height	Weight	Base Size
JLTC001-50	50cm	1.5kg	280x280MM
JLTC001-75	75cm	2.5kg	380x380MM
JLTC001-100	100cm	5.0kg	490x490MM
JLTC004-50	50cm	1.5kg	280x280MM
JLTC004-75	75cm	2.5kg	380x380MM
JLTC004-100	100cm	5.0kg	490x490MM



PVC Traffic Cone

JLRS-TC001A



*Material: 100% New PVC

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*orange, white, yellow, red, green colors can be available


*Pallet Packing: 1550 pcs/pallet(In 20'GP); 1800 pcs/pallet(In 40'HQ)

高度 Height	300mm
重量 Weight	0.6kg
底部 Bottom	210x210mm

JLRS-TC001B



High intensive reflective sheeting(auto-adhesive style)
高强度反光膜



Micro-prismatic reflective sheeting
(Non auto-adhesive style)
晶格膜

高度 Height	300mm
重量 Weight	1.06kg
底部 Bottom	220x220mm

JLRS-TC002A



18"



18"

JLRS-TC002B



18"

*Material: 100% New PVC for cone body and Recycled PVC for base

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*orange, white, yellow, red, green colors can be available

*Pallet Packing: 928 pcs/pallet(In 20'GP); 1056 pcs/pallet(In 40'HQ)

高度 Height	450mm
重量 Weight	0.65kg
底部 Bottom	260x260mm

高度 Height	450mm
重量 Weight	1.65kg
底部 Bottom	280x280mm



High intensive reflective sheeting(auto-adhesive style)
高强度反光膜



Micro-prismatic reflective sheeting
(Non auto-adhesive style)
晶格膜



18.5"

JLRS-TC003

高度 Height	470mm
重量 Weight	0.9kg
底部 Bottom	300x300mm

*Material: 100% New PVC

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*orange, white, yellow, red, green colors can be available



High intensive reflective sheeting(auto-adhesive style)
高强度反光膜



Micro-prismatic reflective sheeting
(Non auto-adhesive style)
晶格膜

PVC Traffic Cone



JLRS-TC004

28"



*Pallet Packing: 423 pcs/pallet(In 20'GP); 513 pcs/pallet(In 40'HQ)

高度 Height	700mm
重量 Weight	1.8kg
底部 Bottom	360x360mm

JLRS-TC005



*Pallet Packing: 423 pcs/pallet(In 20'GP); 513 pcs/pallet(In 40'HQ)

高度 Height	700mm
重量 Weight	2.0kg
底部 Bottom	360x360mm

JLRS-TC006

28"



高度 Height	700mm
重量 Weight	2.3kg
底部 Bottom	360x360mm

JLRS-TC007

28"



高度 Height	700mm
重量 Weight	3.2kg
底部 Bottom	360x360mm

*Material: 100% New PVC for cone body and Recycled PVC for base

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*orange, white, yellow, red, green colors can be available

*Pallet Packing: 306 pcs/pallet(In 20'GP); 351 pcs/pallet(In 40'HQ)

JLRS-TC008

高度 Height	900mm
重量 Weight	4.1kg
底部 Bottom	370x370mm

*Material: 100% New PVC

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*orange, white, yellow, red, green colors can be available

*Pallet Packing: 225 pcs/pallet(In 20'GP); 288 pcs/pallet(In 40'HQ)



JLRS-TC009

高度 Height	900mm
重量 Weight	4.2kg
底部 Bottom	360x360mm

36"





PE Traffic Cone

Expandable

JLRS-TC010



材质/ABS Material	高度 Height	材质/PP Material	高度 Height
A70	70X30.5X30.5cm	B70	70X30.6X30.6cm
A65	65X30.5X30.5cm	B65	65X30.6X30.6cm
A60	60X30.5X30.5cm	B60	60X30.6X30.6cm
A55	55X30.5X30.5cm	B55	55X30.6X30.6cm
A50	50X24.4X24.4cm	B50	50X24.5X24.5cm
A45	45X24.4X24.4cm	B45	45X24.5X24.5cm
A40	40X24.4X24.4cm	B40	40X24.5X24.5cm
		B35	35X19X19CM
		B30	30X19X19CM

JLRS-TC011



高度 Height	500mm
总重 Total Weight	1.5kg
底部 Bottom	280x280mm
底重 Base Weight	1.3kg

Features:

*Material: made by high quality PE and rubber

*UV-Resistant

*With good reflective collars

*Different weight can be available

取材于优质塑料和橡胶合成，抗寒、防紫外线、反光性能好，重量客户根据客户要求定做。

JLRS-TC012



高度 Height	750mm
总重 Total Weight	2.5kg
底部 Bottom	380x380mm
底重 Base Weight	1.9kg

Features:

*Material: made by high quality PE and rubber

*UV-Resistant

*With good reflective collars

*Different weight can be available

取材于优质塑料和橡胶合成，抗寒、防紫外线、反光性能好，重量客户根据客户要求定做。



PE Traffic Cone



JLRS-TC013



高度 Height	1000mm
总重 Total Weight	5kg
底部 Bottom	490x490mm
底重 Base Weight	4kg

Features:

*Material: made by high quality PE and rubber

*UV-Resistant

*With good reflective collars

*Different weight can be available

取材于优质塑料和橡胶合成，抗寒、防紫外线、反光性能好，重量客户根据客户要求定做。

JLRS-TC014

高度 Height	500mm
重量 Weight	0.4kg
底部 Bottom	240x240mm

Features:

*Material: 100% made by good PE

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*Painting in red or whole reflective sheeting white/red

取材于优质塑料，抗寒、防紫外线、弹性好。





PE Traffic Cone



JLRS-TC015

高度 Height	700mm
重量 Weight	0.5kg
底部 Bottom	320x320mm

Features:

*Material: 100% made by good

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*painting in red or whole reflective sheeting white/red

取材于优质塑料，抗寒、防紫外线、弹性好。



JLRS-TC016

高度 Height	700mm
重量 Weight	0.6kg
底部 Bottom	310x310mm

Features:

*Material: 100% made by good

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*painting in red or whole reflective sheeting white/red

取材于优质塑料，抗寒、防紫外线、弹性好。



JLRS-TC017

高度 Height	650mm
重量 Weight	0.5kg
底部 Bottom	280x280mm

Features:

*Material: 100% made by good

*UV-Resistant

*Cold-Resistant

*Super Flexibility

*painting in red or whole reflective sheeting white/red

取材于优质塑料，抗寒、防紫外线、弹性好。

Rubber Cone



JLRS-TC018

方尖锥 Flat Traffic Cone

高度 Height	750mm
重量 Weight	2.8kg
底部 Bottom	380x380mm



Features:

*Material: made by high quality PE and rubber

*UV-Resistant

*With good reflective collars

*Different weight can be available

取材于优质塑料和橡胶合成，抗寒、防紫外线、反光性能好，重量客户根据客户要求定做。



高度 Height	500mm
重量 Weight	1.5kg
底部 Bottom	350x350mm



喷漆
JLRS-TC019A



方格锥套
JLRS-TC019B



全晶格套
JLRS-TC020A



方格锥套
JLRS-TC020B



JLRS-TC020C

高度 Height	700mm
重量 Weight	2.5kg
底部 Bottom	400x400mm

高度 Height	700mm
重量 Weight	2.5kg
底部 Bottom	400x400mm


高度 Height	700mm
重量 Weight	1.7kg
底部 Bottom	360x360mm



Rubber Speed Hump

Middle Section 中端	Size	L1000xW380xH50mm/pc
	Weight	15kg/pc
End Cap 端头	Size	L190xW380xH50mm/pc
	Weight	2kg/pc

JLRS-SH001




Middle Section 中端	Size	L1000xW300xH50mm/pc
	Weight	11kg/pc
End Cap 端头	Size	L150xW300xH50mm/pc
	Weight	1.5kg/pc

JLRS-SH002



Middle Section 中端	Size	L1000xW300xH50mm/pc
	Weight	13kg/pc
End Cap 端头	Size	L150xW300xH50mm/pc
	Weight	1.3kg/pc


JLRS-SH003



Rubber Speed Hump


Middle Section 中端	Size	L1000xW350xH50mm/pc
	Weight	14kg/pc
End Cap 端头	Size	L175xW350xH50mm/pc
	Weight	1.8kg/pc

JLRS-SH004




Middle Section 中端	Size	L1000xW350xH45mm/pc
	Weight	12kg/pc
End Cap 端头	Size	L175xW350xH45mm/pc
	Weight	1.8kg/pc

JLRS-SH005



Middle Section 中端	Size	L500xW350xH50mm/pc
	Weight	7kg/pc
End Cap 端头	Size	L175xW350xH50mm/pc
	Weight	1.8kg/pc

JLRS-SH006






Rubber Speed Hump

Middle Section 中端	Size Weight	L250xW350xH50mm/pc 3.75kg/pc
End Cap 端头	Size Weight	L175xW350xH50mm/pc 1.8kg/pc

JLRS-SH007



500mm 500mm



JLRS-SH008

Middle Section 中端	Size Weight	L500xW400xH50mm/pc 18kg/pc
----------------------	----------------	-------------------------------

Middle Section 中端	Size Weight	L500xW350xH50mm/pc 7kg/pc
End Cap 端头	Size Weight	L175xW350xH50mm/pc 2kg/pc

JLRS-SH009



Rubber Speed Hump



Middle Section 中端	Size Weight	L500xW430xH50mm/pc 11kg/pc
End Cap 端头	Size Weight	L250xW430xH50mm/pc 4kg/pc


JLRS-SH010



500mm 500mm

Middle Section 中端	Size Weight	L600xW500xH32mm/pc 9kg/pc
End Cap 端头	Size Weight	L600xW250xH32mm/pc 3kg/pc

JLRS-SH011



Middle Section 中端	Size Weight	L900xW500xH50mm/pc 19kg/pc
End Cap 端头	Size Weight	L900xW250xH50mm/pc 7.5kg/pc

JLRS-SH012






Rubber Speed Hump

Middle Section 中端	Size	L500xW500xH55mm/pc
	Weight	14kg/pc
End Cap 端头	Size	L270xW500xH55mm/pc
	Weight	4kg/pc

JLRS-SH013



重量 Weight	21kg
尺寸 Size	1830x300x58mm/pc
End Cap 端头	Size
	Weight

JLRS-SH014



Rubber Speed Hump




Size	L1830xW300xH50mm
Weight	21kg

JLRS-SH015



JLRS-SH016



微型减速带

尺寸 Size	L500xW100xH15mm
---------	-----------------

JLRS-SH017



尺寸 Size	L1000xW300xH50mm
重量 Weight	13Kg



Cable Protector(PVC)

Size	L1000xW250xH50mm/pc
Weight	7kg

Features:

- 1.Great for indoor or outdoor use
- 2.Interlocking modules,no tools required
- 3.Bright yellow safety cover with warning symbols
- 4.available for the heavy truck over 30MT
- 5.Easy placement and removal of cables/hose lines with open-top style

JLRS-CP001

二线槽减速带
Cable Protector 2 Channel



Features:

- 1.Great for indoor or outdoor use
- 2.Interlocking modules,no tools required
- 3.Bright yellow safety cover with warning symbols
- 4.available for the heavy truck over 30MT
- 5.Easy placement and removal of cables/hose lines with open-top style

JLRS-CP002

三线槽减速带
Cable Protector 3 Channel

Size	L900xW500xH70mm/pc
Weight	21kg



Features:

- 1.Great for indoor or outdoor use
- 2.Interlocking modules,no tools required
- 3.Bright yellow safety cover with warning symbols
- 4.available for the heavy truck over 30MT
- 5.Easy placement and removal of cables/hose lines with open-top style

JLRS-CP003

五线槽减速带
Cable Protector 5 Channel

Size	L900xW500xH50mm/pc
Weight	15kg



Plastic Speed Hump



JLRS-PSH001

Middle Section 中端	Size	L500xW350xH40mm/pc
	Weight	4kg/pc
End Cap 端头	Size	L170xW350xH50mm/pc
	Weight	0.5kg/pc

高科技产品,采用高强度塑料制作而成,可承重50吨以上,三年不褪色。

This plastic speed hump is High-tech products,made of high strength plastic,And can stand the pressure of more than 50 tons,no fading within three years.



JLRS-PSH002

Middle Section 中端	Size	L500xW320xH40mm/pc
	Weight	2.4kg/pc
End Cap 端头	Size	L170xW350xH50mm/pc
	Weight	0.5kg/pc

高科技产品,采用高强度塑料制作而成,可承重50吨以上,三年不褪色。

This plastic speed hump is High-tech products,made of high strength plastic,And can stand the pressure of more than 50 tons,no fading within three years.





Rubber Wheel Stopper

JLRS-WS001



Size	L500xW150xH100mm
Weight	3.5kg

JLRS-WS002 (两孔Double holes)



Size	L500xW150xH100mm
Weight	4.5kg

JLRS-WS003 (四孔Four holes)



Size	L500xW150xH100mm
Weight	5kg

JLRS-WS004



Size	L500xW130xH100mm
Weight	3.5kg

JLRS-WS005



Size	L600xW120xH100mm
Weight	3kg/6kg

JLRS-WS006



Size	L560xW150xH100mm
Weight	4.5kg

Rubber Wheel Stopper



JLRS-WS007

Size	L900xW150xH100mm
Weight	9kg



JLRS-WS008

Size	L1650xW140xH100mm
Weight	15kg



JLRS-WS009

Size	L1780xW150xH100mm
Weight	16kg



JLRS-WS010

Size	L1830xW150xH100mm
Weight	16kg



JLRS-WS012



塑料车轮定位器 / PE Wheel Stopper

尺寸 Size	L500xW130xH100mm
---------	------------------

JLRS-WS011

Size	L2000xW150xH100mm
Weight	14kg





Rubber Wheel Stopper

JLRS-WS013



塑料车轮定位器 / PE Wheel Stopper

尺寸 Size L550xW150xH100mm

JLRS-WS014



塑料车轮定位器 / PE Wheel Stopper

尺寸 Size L500xW160xH100mm

JLRS-WS015



橡胶车轮定位器/PC Wheel Stopper

尺寸 Size L500xW150xH100mm

JLRS-WS016



橡胶车轮定位器/PC Wheel Stopper

尺寸 Size L550xW150xH100mm

JLRS-WS017



橡胶车轮定位器/PC Wheel Stopper

尺寸 Size L500xW130xH100mm

JLRS-WS018



尺寸 Size L600xW150xH100mm
重量 Weight 7kg

JLRS-WS019



尺寸 Size L540xW145xH85mm
重量 Weight 4.5kg

JLRS-WS020



尺寸 Size L500xW110xH100mm
重量 Weight 5Kg



Wheel Chock

EVA 护墙角 EVA Corner Guard

JLRS-CG001

尺寸 Size 600x100x10mm

JLRS-CG002

尺寸 Size 800x100x10mm

JLRS-CG003

尺寸 Size 600x100x10mm

JLRS-CG004

尺寸 Size 800x100x10mm

Color



JLRS-CG005

尺寸 Size 600x100x8mm

JLRS-CG006

尺寸 Size 800x100x6mm
800x100x8mm
800x100x10mm
800x100x12mm
800x100x18mm

JLRS-CG007


尺寸 Size 1000x100x8mm
1000x100x10mm

JLRS-CG008

尺寸 Size 1200x100x10mm

JLRS-CG009

尺寸 Size 1500x100x10mm



JLRS-CG010

尺寸 Size 560x100x10mm

JLRS-CG011

尺寸 Size 600x100x10mm

JLRS-CG012


尺寸 Size 800x100x10mm

JLRS-CG013

尺寸 Size 1000x100x10mm

JLRS-CG014

尺寸 Size 1200x100x10mm





Wheel Chock



JLRS-LS001

尺寸 Size	L170xW140xH110mm/pc
重量 Weight	1.5kg



JLRS-LS002

尺寸 Size	L160xW90xH95mm/pc
重量 Weight	1kg



JLRS-LS003

尺寸 Size	L250xW250xH190mm/pc
重量 Weight	7kg



JLRS-LS004

尺寸 Size	L250xW160xH190mm/pc
重量 Weight	3kg

JLRS-LS005

尺寸 Size	L300 x W260 x H150mm
重量 Weight	5kg

JLRS-LS006

尺寸 Size	L210 x W130 x H100mm
---------	----------------------



Rubber Curb



JLRS-LYP01

尺寸 Size	L500xW320xH130mm/pc
重量 Weight	9kg



JLRS-LYP02

尺寸 Size	L500xW400xH165mm/pc
重量 Weight	14kg



JLRS-LYP03

尺寸 Size	L500xW500xH185mm/pc
重量 Weight	20kg



JLRS-LYP04

尺寸 Size	L500xW320xH130mm/pc
重量 Weight	9kg



JLRS-LYP05

尺寸 Size	L400xW500xH190mm/pc
重量 Weight	18kg



JLRS-LYP06

尺寸 Size	L500xW380xH160mm/pc
重量 Weight	13kg



JLRS-LYP07

尺寸 Size	L480 x W420 x H110mm
重量 Weight	13kg



Rubber Bumper Strip



JLRS-CB001

尺寸 Size	L1000xW200xH100mm/pc
重量 Weight	14kg



JLRS-CB002

尺寸 Size	L1000xW200xH100mm/pc
重量 Weight	14kg



JLRS-CB003

尺寸 Size	L1000xW130xH45mm/pc
重量 Weight	5kg



JLRS-CB004

尺寸 Size	L1000xW160xH50mm/pc
重量 Weight	4.5kg



Plastic Speed Hump

Warning Board



JLRS-WS001A

小号折叠式停车牌
SIGN STAND

尺寸 Size	L250xH620mm
---------	-------------



JLRS-WS001B

大号折叠式停车牌
SIGN STAND

尺寸 Size	L300xH620mm
---------	-------------



JLRS-WS001C

不锈钢停车牌
SIGN STAND

尺寸 Size	L580xW455xH600mm
---------	------------------



JLRS-WS001D

烤漆停车牌
SIGN STAND

尺寸 Size	L580xW455xH600mm
---------	------------------

Floor Sign



JLRS-WS002A

高度 Height	720mm
底部 Bottom	280x280mm



JLRS-WS002B

高度 Height	950mm
底部 Bottom	280x280mm



JLRS-WS002C

高度 Height	650mm
底部 Bottom	320x310mm



Water Filled Barrier

JLRS-WB001

吹塑单孔水马 Blowing Plastic Barrier

长度 Length	1300mm
上宽 Top Width	180mm
下宽 Bottom Width	370mm
高度 Height	650mm
净重 Net Weight	8.5kg
装水量 Water Capacity	100kg



JLRS-WB002

吹塑双孔水马 Blowing Plastic Barrier

长度 Length	1650mm
上宽 Top Width	150mm
下宽 Bottom Width	410mm
高度 Height	650mm
净重 Net Weight	9kg
装水量 Water Capacity	100kg



JLRS-WB003A

吹塑三孔水马 Blowing Plastic Barrier

长度 Length	1500mm
上宽 Top Width	180mm
下宽 Bottom Width	370mm
高度 Height	800mm
净重 Net Weight	9.5kg
装水量 Water Capacity	100kg



Water Filled Barrier



JLRS-WB003B

长度 Length	1400mm
上宽 Top Width	170mm
下宽 Bottom Width	330mm
高度 Height	800mm
净重 Net Weight	7.5kg
装水量 Water Capacity	100kg

JLRS-WB003C

长度 Length	1300mm
上宽 Top Width	140mm
下宽 Bottom Width	290mm
高度 Height	730mm
净重 Net Weight	5kg
装水量 Water Capacity	100kg

吹塑三孔水马 Blowing Plastic Barrier



Lastic Fence Barrier

JLRS-WB004

长度 Length	1500mm
上宽 Top Width	150mm
下宽 Bottom Width	430mm
高度 Height	1200mm
净重 Net Weight	14kg
装水量 Water Capacity	100kg

滚塑大围栏
Rotational Plastic Barrier



JLRS-WB005

高度 Height	800mm
直径 Diameter	580mm
净重 Net Weight	5kg
装水量 Water Capacity	250kg

JLRS-WB006

高度 Height	840mm
直径 Diameter	780
净重 Net Weight	9kg
装水量 Water Capacity	400kg



吹塑防撞桶
Blowing Plastic Safety Crash Bucket



滚塑大防撞桶
Rotational Safety Crash Bucket



Round Delineator

- Traffic drum barricade is made of rugged, durable low density polyethylene
- Large carry handle on drum for easy transportation
- Bright orange color resists fading from the sun's UV ray
- Stackable for easy storage

Model 型号	JLJC2201
Name 名称	Plastic Traffic Drum
Height 高	1000mm
Top Width 上宽	400mm
Bottom Width 下宽	450mm
Net Weight 净重	4.5kg
Water Capacity 水	100kg
Reflective band 反光带	9.5cm



JLRS-TD001

JLRS-TD002



- Drum designed to inhibit roll after impact to eliminate further hazards or potential damage
- Includes mounting port for optional barricade light
- Each drum includes a recycled rubber base to hold the drum in place
- Bright orange color resists fading from the sun's UV rays

Model 型号	JLJC2202
Name 名称	Plastic Traffic Drum
Height 高	1250mm
Top Width 上宽	520mm
Bottom Width 下宽	900mm
Net Weight 净重	16kg
Water Capacity 水	9.7kg
Reflective band 反光带	9cm

JLRS-TD003

高度 Height	1100mm
底部 Bottom	600x600mm
重量 Weight	12kg



Road Barrier



JLRS-WS001

高度 Height	800mm
重量 Weight	1.8kg
底部尺寸 Base Size	360 x 360mm



JLRS-WS002

长度 Length	560mm
上宽 Top Width	130mm
下宽 Bottom Width	400mm
高度 Height	560mm
净重 Net Weight	3kg

吹塑隔离墩
Blowing Plastic Barrier



JLRS-WS003


长度 Length	500mm
上宽 Top Width	170mm
下宽 Bottom Width	400mm
高度 Height	560mm
净重 Net Weight	4.5kg

吹塑隔离墩
Blowing Plastic Barrier





Cone Bar




JLRS-SSG01

高度 Height	1.3-2.2m
直径 Diameter	34mm

JLRS-SG002

高度 Height	2m
直径 Diameter	34mm



JLRS-SG003

交通护栏	
尺寸 Size	W320xH910mm



Expandable Barricade



JLRS-SF001

- Quick and easy setup / take down / storage and Locks into position at desired length
- The plastic slats and legs are durable and lightweight
- Water-fillable legs to add weight for extra stability
- Appropriate for indoor and outdoor purposes
- Expand to 2.5m and retract 34cm

Model 型号	JLJC2204
Name 名称	Plastic Expandable Barricade
Material 材质	PE
Size 尺寸	100x200cm
Net Weight 净重	3kg



JLRS-SF002

Model 型号	JLJC2206
Name 名称	Plastic Expandable Barricade
Material 材质	PE
Size 尺寸	100x350cm
Net Weight 净重	5.0kg

- High-impact and temperature resistant
- Quick and easy setup / take down / storage
- Locks into position at desired length
- Water-fillable legs to add weight for extra stability
- Expand to 3.5m and retract 42cm



Lane Divider



JLRS-LS001A




JLRS-LS001B



JLRS-LS001C

型号 Model	规格 Size(mm)	材料 Material	重量 Weight(kg)
JLRS-LS001A	L200xW140xH290	PU	0.5
JLRS-LS001B	L200xW140xH290	PU	0.5
JLRS-LS001C	L200xW140xH290	TPE	0.4



JLRS-LS002

EVA系列分道体	
型号 Model	EVA-FDT001A/B
尺寸 Size	H300mm
底座 Base	210x150mm

Rubber Lane Divider



JLRS-LS003

长度 Length	1000mm
底宽 Bottom Width	250mm
高度 Height	450mm/350mm
重量 Weight	11.5kg



JLRS-LS004

规格/Size: 1000x200x85mm(底部)
1000x200x780mm(含柱)
重量/Weight: 底座: 3.5kg 柱: 1kg
包装/Package: 底座: 4pcs/CTN
警示柱: 20pcs/CTN





Warning Sign

JLRS-WP001

高度	Height	72cm
重量	Weight	1.5kg

Light weight, high luminance, long life time and UV resistance

- Aesthetic appearance and color, ideal functional street decoration
- Installed through metal mounting plate with screw



JLRS-WP002 JLRS-WP003

JLRS-WP002

高度	Height	115cm
重量	Weight	6.75kg

JLRS-WP003

高度	Height	115cm
重量	Weight	7kg

- Ideal for construction work zones, airports, parking lots and job sites of all kind
- Simple set-up by locking post into base
- Traction from rubber base prevents post from moving in rainy conditions
- Looper handle can accommodate caution tape, flag line or rope



JLRS-WP004

高度	Height	1100mm
总重量	Total Weight	13kg
板重量	Board Weight	2kg
底部重量	Base Weight	11kg
底部规格	Base Size	L500 x W500 x H45mm
板规格	Board Size	H1100 x W310mm



JLRS-WP005

高度	Height	1100mm
总重量	Total Weight	18kg
板重量	Board Weight	2kg
底部重量	Base Weight	16kg
底部规格	Base Size	L700 x W400 x H80mm
板规格	Board Size	H1100 x W240mm

Warning Post



JLRS-WP006
PU 警示柱 PU Warning Post

尺寸 Size $\Phi 80 \times H450 \text{mm}$



JLRS-WP007
PU 警示柱 PU Warning Post

尺寸 Size $\Phi 80 \times H750 \text{mm}$



JLRS-WP008
塑料警示柱 PE Warning Post

尺寸 Size $\Phi 80 \times H450 \text{mm}$



JLRS-WP009
塑料警示柱 PE Warning Post

尺寸 Size $\Phi 80 \times H750 \text{mm}$



JLRS-WP010
EVA 警示柱 EVA Warning Post

尺寸 Size $\Phi 80 \times H450 \text{mm}$
尺寸 Size $\Phi 80 \times H750 \text{mm}$



JLRS-WP011
塑料警示柱 PE Warning Post

尺寸 Size $\Phi 70 \times H700 \text{mm}$



JLRS-WP012
EVA 警示柱 EVA Warning Post

尺寸 Size $\Phi 80 \times H750 \text{mm}$

JLRS-WP013

尺寸 Size $\Phi 260 \times H500 \text{mm}$

JLRS-WP014

尺寸 Size $\Phi 260 \times H800 \text{mm}$

JLRS-WP015

尺寸 Size $\Phi 260 \times H1200 \text{mm}$



塑料警示柱 PE Warning Post




Safety Fence

Underground warning extruded mesh / signal mesh / Underground warning mesh for marking underground

Product Description

- 1.Warning / detection:Under ground pipes as and electric lines,Oil pipes and communication cable.
- 2.CHIXIN Signal Fence is an under ground warning tape used for the marking and location of buried pipes and cables.It is laid in the excavation trench about 500mm above the cable or pipe line.During future re -excavation works,the highly visible band will alert excavators to the pipe/ cables below.
- 3.CHIXIN manufactures underground warning meshes for applications in civil engineering that require buried services and utilities to be marked and protected when buried and that provide a visual warning to rogue excavations.



Safety Fence



Product Description

- 1、BR type is a UV stabilized fence with rectangular mesh openings designed.
- 2、Strong HDPE plastic resists wind damage and remains flexible in freezing temperatures.
- 3、Slow wind and create drifts for snow storage or where they will not interfere with roadways,driveways,or runways.
- 4、Flexible and easy to handle.



Safety Fence BR Series

Photo	Model	Mesh Size(mm)	Weight(g/m ²)	Width(m)	Color
	JLRS-SR060-10040	100×40	60	1/1.22/1.5/1.8	Orange/Yellow Blue/Green
	JLRS-SR080-10040		80		
	JLRS-SR100-10040		100		
	JLRS-SR120-10040		120		
	JLRS-SR060-07026	70×26	60	1/1.22/1.5/1.8	Orange/Yellow Blue/Green
	JLRS-SR100-07026		100		



Safety Fence SR Series

Photo	Model	Mesh Size(mm)	Weight(g/m ²)	Width(m)	Color
	JLRS-SR060-06535	65 × 35	60	1/1.22/1.5/1.8	Orange/Yellow Blue/Green
	JLRS-SR080-06535		80		
	JLRS-SR100-06535		100		
	JLRS-SR120-06535		120		
	JLRS-SR140-06535		140		



Guardrail Reflector

JLRS-GP001



梯形轮廓标

Trapeziform Reflective Delineator

尺寸 Size L120xW50xH70mm

JLRS-GP002



矩形轮廓标

Rectangle Reflective Delineator

尺寸 Size L180xW40xH42mm

JLRS-GP003

高度 Height	935mm
宽度 Width	100mm
厚度 Thickness	4mm
重量 Weight	0.7kg

片式轮廓标(尖底)
Slice PVC Delineator
(Triangel Bottom)



JLRS-GP004

高度 Height	1100mm
宽度 Width	100mm
厚度 Thickness	5mm
重量 Weight	0.82kg

片式轮廓标(平底)
Slice PVC Delineator (Flat Bottom)



JLRS-GP005

高度 Height	1250mm
宽度 Width	130mm
厚度 Thickness	3mm
重量 Weight	2.3kg

柱式轮廓标
Post Delineator



Convex Mirror



Convex Mirror



室内广角镜 / Indoor angle lens

直径 Diameter	800mm
	600mm
	450mm
	300mm



室外广角镜 / Outdoor angle lens

直径 Diameter	1200mm
	1000mm
	800mm
	600mm
	450mm



方形广角镜 / Square angle lens

镜面材料	PC
镜背材料	工程塑料
尺寸	600x400mm
	720x490mm
	840x560mm



1/2球面镜 / 1/2 spherical mirror

直径 Diameter	460mm
	660mm
	810mm
	910mm

Solar Strobe Light



尺寸 Size L780xW180xH140mm



尺寸 Size L780xW180xH140mm



尺寸 Size L780xW180xH140mm



尺寸 Size L1000xW300xH120mm



尺寸 Size L300xW180xH140mm



尺寸 Size L530xW170xH130mm



尺寸 Size L800xW300xH150mm




尺寸 Size L700xW250mm



Road Stud



JLRS-PS01



JLRS-PS02



JLRS-PS03



JLRS-PS04

Model 型号	Specification 规格(mm)	Color 颜色	Reflector 反光片	QTY(PCS) 数量	MEAS(CM) 包装尺寸
JLRS-PS01	100x100x20	Yellow or White	Single-way	100	52.3x21.2x22.5
JLRS-PS02	100x100x20	Yellow or White	Double-way	100	52.3x21.2x22.5
JLRS-PS03	100x100x20	Yellow or White	Single-way or Double-way	100	52.3x21.2x22.5
JLRS-PS04	100x100x20	Yellow or White	Single-way or Double-way	100	52.3x21.2x22.5



JLRS-ALS01



JLRS-ALS02

Model 型号	Specification 规格(mm)	Color 颜色	Reflector 反光片	QTY(PCS) 数量	MEAS(CM) 包装尺寸
JLRS-ALS01	100x100x20	Yellow or White	Single-way or Double-way	50	16.5x29.5x17.5
JLRS-ALS02	100x100x20	Yellow or White	Single-way or Double-way	50	16.5x29.5x17.5



Road Stud



JLRS-SRS02



JLRS-SRS06



JLRS-SRS07



JLRS-SRS04



JLRS-SRS05



JLRS-SRS12



JLRS-SRS08



JLRS-SRS09



JLRS-SRS10

Model 型号	Specification 规格(mm)	LED QTY(PCS) LED数量	Reflector 反光片	Battery 电池	QTY(PCS) 数量	MEAS(CM) 包装尺寸
JLRS-SRS02	110x90x23	2*3 (Red/Yellow/Green)	Aluminum Alloy+PC	Ni-MH 800mAH	60	41x28x28.5
JLRS-SRS04	103x103x23	2*2 (Red/Yellow/Green)	Aluminum Alloy+PC	Ni-MH 800mAH	60	41x28x28.5
JLRS-SRS05	103x103x23	2*3 (Red/Yellow/Green)	Aluminum Alloy+PC	Ni-MH 800mAH	60	41x28x28.5
JLRS-SRS06	110x97x24	6 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	50	38x25.5x29.5
JLRS-SRS07	125x25	3/6 (Red/Yellow/Green/Blue/White)	PC	Ni-MH 600mAH	50	38x25.5x29.5
JLRS-SRS08	105x105x25	4 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	50	38x25.5x29.5
JLRS-SRS09	105x105x25	6 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	50	38x25.5x29.5
JLRS-SRS10	128x118x78	6 (Red/Yellow/Green/Blue/White)	Aluminum Alloy+PC	Ni-MH 600mAH	20	70x28.5x22
JLRS-SRS12	104x123x23	4 (Red/Yellow/Green/Blue/White)	Shell-Aluminium Lens-Polycarbonate	Li 3.7V/500mAH	50	58.5x27x18

Anti-dazzling Board



JLRS-GP009

尺寸	Size	900x220mm
重量	Weight	1.5kg



JLRS-GP010

尺寸	Size	800x200mm
重量	Weight	1kg



JLRS-GP011

尺寸	Size	900x220mm
重量	Weight	1.5kg



JLRS-GP012

高度	Height	900mm
宽度	Width	200mm
重量	Weight	0.65kg



Watning Light



Item Code: JLWL006

Size: 45 X 37 X 35 CM

QTY: 12 Purchase

G/N: 7/6 KGS

QTY: 20"FCL 5500PCS 40"HQ12200PCS



Item Code: JLWL019

Size: 45 X 37 X 35 CM

QTY: 12 Purchase

G/N: 7/6 KGS

QTY: 20"FCL 5500PCS 40"HQ12200PCS



Item Code: JLWL020

Size: 50 X 36.5 X 31 CM

QTY: 12 Purchase

G/N: 9/8 KGS

QTY: 20"FCL 5500PCS 40"HQ12000PCS

Solar Warning light, monocrystalline silicon solar panels, 2 LED lamp, Ni-MHbattery AA environmental protection, charging power 0.45 W charging voltage of 4.5 V, electric capacity of 1800 mA, full of electricity can continuous scintillation use 220 hours, the battery life more than eight years, long-term outdoor use can be free maintenance, Widely used in road traffic warning and guidance.



Item Code: JLWL007

Size: 50X42X38cm

QTY: 12 Purchase

G/N: 7/6 KG

QTY: 20"FCL 5500PCS 40"HQ12000PCS



Watning Ligh



Item Code: JLWL001

Size: 45X37X35cm

QTY: 12 Purchase

G/N: 7/6 KG

QTY: 20"FCL 5500PCS 40"HQ12200PCS

LED Flash Light, 2 ~ 4 LED, double switch, long bright and shining function, can with 2 day 4 R25 battery, Iron parts selection, product has anti ultraviolet, antioxidant function,



Item Code: JLWL003

Size: 45X37X38cm

QTY: 12 Purchase

G/N: 7/6 KG

QTY: 20"FCL 12000PCS 40"HQ12200PCS

LED Flash Light, 2 ~ 4 LED, single switch, power switch and shining function, can with 2 day 4 R25 battery, Iron parts selection, product has anti ultraviolet, antioxidant function, color can be customized.



Item Code: JLWL012

Size: 40X35X32cm

QTY: 12 Purchase

G/N: 6/7 KG

QTY: 20"FCL 5500PCS 40"HQ12000PCS



Hearing Protection



JLLB004

Safety Earplugs

Products Name: Silicone anti-noise earplugs
 Material: PU foam
 Color Any color is available
 OEM Yes
 Type in ear
 Feature: Waterproof, reusable, noise reduction
 Meet standard: CE or ANSI
 MOQ: 20000 Pairs
 Packing: 1 pcs per color box. 120 pcs per carton
 Application: Sports event / Study zone /Construction sites/Automobile racing/mine/Shooting/ Sleeping /Swimming,etc.



JLLB004-1



JLLB004-2



JLLB004-3



JLLB004-4

Hearing Protection



JLLB004-5

Safety Earmuffs

Products Name:New design ear muffs for sleep studying shooting soft pvc rain shoes
 Material: PP
 Color Any color is available
 OEM Yes
 Type safety earmuff
 Feature: Waterproof, reusable, noise reduction
 Meet standard: CE EN 352
 MOQ: 1000 Pairs
 Packing: 1 set per plastic blister or paper box,12 sets or 36 sets per carton
 Application: Sports event / Study zone /Construction sites/Automobile racing/
 mine/Shooting/ Sleeping /Swimming,etc.



JLLB004-6



JLLB004-8



JLLB004-7



JLLB004-9



Safety Harness



JLLB005

Products Name: Safety Harness
Material: 100% Polyester
Color Any color is available
OEM Yes
Type PPE Lanyard
Feature: body safe guard
Meet standard: CE or ANSI
MOQ: 1000 Pcs
Packing: 1 pcs per color box. 10 pcs per carton
Application: Build, Rescue, Shipbuilding, Climbing



JLLB005-1



JLLB005-2



JLLB005-3



JLLB005-4

Safety Net



JLLB006

Commodity

Scaffold Safety Net / Safety Nettings / Building Safety Net / Debris Safety Net / Debris Nets / PE Scaffolding Net

Material

- 1.HDPE with UV stabilized and fire retardant
- 2.50% virgin material + 50% recycled material
- 3.Recycled material

Application

Safety Netting is used to circle the building site, in order to prevent the construction materials or workers to fall down from higher place; to avoid possible harms caused by falling articles; to protect the passing pedestrians ; also to keep the site clean

Using life

5 years in normal weather.

Packaging & Shipping

Packing Width Length

Hot Selling

Package

Roll Packing 1.2, 1.5, 1.6, 1.8, 2,

maximum 5m 50-200m 3m x 50m in roll

Sheet Packing 5m 6m per sheet 1.8m x 6m 5pc,10pc,20pc/bundle

Safety nets

Building construction safety net is very easy to install,there are reinforced long lasting buttonholes on hem for easy attachment. Safety net is made from U.V treated high density polyethylene knitted construction. It will not unravel when cut and is flexible in severe temperature.



JLLB006-1

Colour

Blue, Green, Black, Dark green, White or by requirement

Width 6m the most. (more than 6m width can be sewn into)

Length

As per your requirements.

Normal Size

In pieces: 1.8m*6m, 1.5m*6m, 2m*6m, 1.2m*6m. Etc.

By rolls: 1X50m, 2X50m, 3X50m, 2X100m, etc.

Other sizes can be customized.



Welding Gloves



6149 Mitt welder

One size: 35CM

Premium grade cowhide split side leather, reinforced thumb-index web, SoftPro lining for heat protection and comfort

DuPont fire line



95% Care every article



Reinforced Thumb-index Web



Two Strong Palms Design



7439 Strong Welder

One size: 35CM

Cowhide split leather, 30% thicker than normal leather, reinforced thumb-index web, fleece lining for comfort.

DuPont fire line



95% Care every article



Reinforced Thumb-index Web



Two Strong Palms Design



7008 Curved Welder

One size: 35CM

Red cowhide split shoulder leather, cruved cutting, double shirred elastic wrist, fleece lining for comfort.

DuPont fire line



95% Care every article



Cruved Cutting



Double Shirred Elastic Wrist



7399 Curved MIG Glove

One size: 35CM

Premium cow split side leather, strong reinforced design, flexible wrist area with less friction, fleece lining for comfort.

DuPont fire line



95% Care every article



Double Shirred Elastic Wrist

Welding Gloves



7353 Brown straight welder

One size: 35CM

Premium grade cowhide split side leather, reinforced straight thumb, fleece lining for comfort.

DuPont fire line



95% Care every article



Reinforced Straight Thumb



7422 Blue protection

One size: 35CM

Blue cowhide split shoulder leather, reinforced thumb-index web, fleece lining for comfort.

DuPont fire line



95% Care every article



Reinforced Thumb-index Web



Two Strong Palms Design



7428 Red protection

One size: 35CM

Red cowhide split shoulder leather, reinforced thumb-index web, fleece lining for comfort.

DuPont fire line



95% Care every article



Reinforced Thumb-index Web



Two Strong Palms Design



7358 Red straight welder

One size: 35CM

Red cowhide split shoulder leather, reinforced straight thumb, fleece lining for comfort.

DuPont fire line



95% Care every article



Reinforced Straight Thumb



Welding Gloves



7142 Blue welder

One size: 35CM

Blue cowhide split shoulder leather, seamless index finger, fleece lining for comfort.

DuPont fire line



95% Care every article



Seamless Index Finger



7182 Long Blue welder

One size: 46CM

Blue cowhide split shoulder leather, seamless index finger, fleece lining for comfort.

DuPont fire line



95% Care every article



Seamless Index Finger



7149 Yellow welder

One size: 35CM

Yellow cowhide split shoulder leather, seamless index finger, fleece lining for comfort.

DuPont fire line



95% Care every article



Seamless Index Finger



7140 Natural Welder

One size: 35CM

Cowhide split shoulder leather, fleece lining for comfort.

DuPont fire line



95% Care every article

Welding Gloves



7160 Long natural welder

One size: 40CM

Cowhide split shoulder leather, fleece lining for comfort.



95% Care every article



9201 Aluminized heat shield

Aluminized front, cow split leather back, elastic straps

DuPont fire line



9105 TIG torch cable protector

Black cow split leather, velcro for easily fit up.

Wide 8cm throat cover

8cmx3m

Size can be customized according to customer requirements

DuPont fire line



9104 PP cable protector

Green PP flame retardant, velcro for easily fit up.

Wide 8cm throat cover

8cmx3m

Size can be customized according to customer requirements

DuPont fire line



Welding Gloves

Spirit touch TIG/MIC welding gloves, selection of soft and comfortable sheep green production, structure design is reasonable to provide you with flexible and accurate touch



Seamless Index Finger



Reinforced Straight Thumb



7508 Curved TIG

One size: 33CM

Goatskin palm with split leather cuff, seamless index finger. Foam palm and cruved cutting.

DuPont fire line



Foam Palm



Craved Cutting



7535 Reinforced TIG

One size: 33CM

Goatskin palm with split leather cuff, seamless index finger, reinforced straight thumb

DuPont fire line

Also available
7535S 26CM



Seamless Index Finger



Reinforced Straight Thumb



7513 Goat TIG welder

One size: 33CM

Goatskin palm with split leather cuff, seamless index finger

DuPont fire line



Seamless Index Finger

Welding Gloves



75013 Yellow TIG

One size: 33CM

Goatskin palm with split leather cuff, seamless index finger

DuPont fire line



Cow Split Back



Seamless Index Finger



75010 Yellow TIG short

One size: 26CM

Goatskin palm with split leather cuff, seamless index finger

DuPont fire line



Cow Split Back



Seamless Index Finger



7678 Deerskin TIG

One size: 33CM

Deerskin palm with split leather cuff, clute cuts

DuPont fire line



Seamless Index Finger



Good dexterity



7678S Deerskin TIG short

One size: 26CM

Deerskin palm with split leather cuff, clute cuts

DuPont fire line



Seamless Index Finger



Good dexterity



Welding Gloves

7755 High heat glove

One size: 35CM
High heat resistant up to 500°C



7752 High heat mitten

One size: 35CM
High heat resistant up to 500°C



7735 Oven glove

One size: 35CM
High heat resistant up to 300°C



2066 Cotton leather glove

One size: 24CM
Cowhide split leather, sweat cotton back, cotton knit wrist



2025 Full palm

One size: 26CM
Premium grade cowhide split leather,
jean back, fleece palm lining, rubberized
safety cuff

Welding Gloves



2035 Green double palm

One size: 26CM
Premium grade cowhide split leather, reinforced palm and index
finger, jean back, fleece palm lining, rubberized safety cuff



2031 Blue double palm

One size: 26CM
Premium grade cowhide split leather, reinforced palm and index
finger, cotton back, fleece palm lining, rubberized safety cuff



5019 Split driver

Size: S/M/L/XL/XXL
Cow split leather, keystone thumb, double shirred
elastic wrist.



Double Shirred Elastic Wrist



5119 Cow grain driver

Size: S/M/L/XL/XXL
Cow grain leather, keystone thumb, double shirred elastic wrist.

Also available
5919 Pigskin driver



Double Shirred Elastic Wrist



Reflector Warning Triangle



一路有我



JLRT-001

Packing:	50pcs
G.W./N.W.:	15.5/14.5kgs
Carton size:	44x34x40cm
20'GP:	23411pcs
40'GP:	46822pcs

Reflector Warning Triangle



JLRT-002

Packing:	20pcs
G.W./N.W.:	17.8/16.8kgs
Carton size:	46x32x32cm
20'GP:	11900pcs
40'GP:	23779pcs



JLRT-003

Packing:	50pcs
G.W./N.W.:	18.5/17.5kgs
Carton size:	42x27x40cm
20'GP:	30905pcs
40'GP:	61810pcs



Reflector Warning Triangle



JLRT-003-1

Packing:	50pcs
G.W./N.W.:	15.5/14.5kgs
Carton size:	44x34x40cm
20'GP:	23411pcs
40'GP:	46822pcs



JLRT-004

Packing:	50pcs
G.W./N.W.:	18/17kgs
Carton size:	42x27x40cm
20'GP:	30905pcs
40'GP:	61810pcs



Reflector Warning Triangle



JLRT-004-1

Packing:	50pcs
G.W./N.W.:	15.5/14.5kgs
Carton size:	44x34x40cm
20'GP:	23411pcs
40'GP:	46822pcs



JLRT-005

Packing:	50pcs
G.W./N.W.:	16.5/15.5kgs
Carton size:	42x27x40cm
20'GP:	30905pcs
40'GP:	61810pcs



Reflector Warning Triangle



JLRT-006-1

Packing:	50pcs
G.W./N.W.:	21/20kgs
Carton size:	41.5x42x26cm
20'GP:	22705pcs
40'GP:	61810pcs



JLRT-009

Packing:	30pcs
G.W./N.W.:	18/17kgs
Carton size:	33.5x32x40.5cm
20'GP:	19354pcs
40'GP:	38709pcs



Reflector Warning Triangle



JLRT-010

Packing:	80pcs
G.W./N.W.:	13/12kgs
Carton size:	45x33x33cm
20'GP:	45714pcs
40'GP:	91428pcs



JLRT-101-1

Packing:	50pcs
G.W./N.W.:	22/21kgs
Carton size:	41.5x42x26cm
20'GP:	22075pcs
40'GP:	61810pcs



Reflector Warning Triangle



JLRT-B08

Packing:	30pcs
G.W./N.W.:	20.5/19.5kgs
Carton size:	46x32x37cm
20'GP:	15424pcs
40'GP:	30848pcs



JLRT-B09

Packing:	20pcs
G.W./N.W.:	16.5/15.5kgs
Carton size:	46x34x26cm
20'GP:	13743pcs
40'GP:	27586pcs

Reflector Warning Triangle



JLRT-B10

Packing:	20pcs
G.W./N.W.:	17/16kgs
Carton size:	46x32x32cm
20'GP:	11889pcs
40'GP:	23779pcs



JLRT-B11

Packing:	20pcs
G.W./N.W.:	19/18kgs
Carton size:	44.5x19.5x27cm
20'GP:	23931pcs
40'GP:	47863pcs





Reflector Warning Triangle



JLRT-B12

Packing:	20pcs
G.W./N.W.:	23/22kgs
Carton size:	54x34x22cm
20'GP:	14000pcs
40'GP:	28000pcs



JLRT-B13

Packing:	10pcs
G.W./N.W.:	18.5/17.5kgs
Carton size:	46x23x23.5cm
20'GP:	1129011pcs
40'GP:	22580pcs



Reflector Warning Triangle



JLRT-B15

Packing:	20pcs
G.W./N.W.:	17.8/16.8kgs
Carton size:	44.5x32x25cm
20'GP:	13740pcs
40'GP:	27580pcs



JLRT-B17

Packing:	30pcs
G.W./N.W.:	15/14kgs
Carton size:	45x22x29.5cm
20'GP:	28767pcs
40'GP:	57534pcs



Reflector Warning Triangle



JLRT-D05

Packing:	10pcs
G.W./N.W.:	18.5/17.5kgs
Carton size:	46x23x23.5cm
20'GP:	11290pcs
40'GP:	22580pcs

JLRT-D07

Packing:	30pcs
G.W./N.W.:	15/14kgs
Carton size:	45x20.5x24cm
20'GP:	28767pcs
40'GP:	57534pcs



Reflector Warning Triangle



JLRT-D07-1

Packing:	30pcs
G.W./N.W.:	12/11kgs
Carton size:	45x20.5x24cm
20'GP:	38181pcs
40'GP:	76363pcs



JLRT-D09

Packing:	30pcs
G.W./N.W.:	15.5/14.5kgs
Carton size:	45x22x29.5cm
20'GP:	28767pcs
40'GP:	57534pcs





Reflector Warning Triangle



JLRT-B16-1

Packing:	20pcs
G.W./N.W.:	18/17kgs
Carton size:	46x35x32cm
20'GP:	11900pcs
40'GP:	23779pcs



Reflector Warning Triangle



JLRT-D06

Packing:	20pcs
G.W./N.W.:	19.3/18.3kgs
Carton size:	53x38x35cm
20'GP:	8000pcs
40'GP:	16000pcs



JLRT-008

Packing:	20pcs
G.W./N.W.:	19/18kgs
Carton size:	46x35x32cm
20'GP:	10900pcs
40'GP:	21800pcs



Reflector Warning Triangle



JLRT-D10

Packing:	30pcs
G.W./N.W.:	7.3/6.3kgs
Carton size:	32x24x33cm
20'GP:	33201pcs
40'GP:	66403pcs



JLRT-D10-1

Packing:	70pcs
G.W./N.W.:	15.5/14.5kgs
Carton size:	40x32x37cm
20'GP:	42900pcs
40'GP:	85500pcs



Reflector Warning Triangle



JLRT-D13

Packing:	24pcs
G.W./N.W.:	20.5/19.5kgs
Carton size:	58x59x58cm
20'GP:	3144pcs
40'GP:	6288pcs



Reflector Warning Triangle



JLRT-701

Packing:	100pcs
G.W./N.W.:	20/19kgs
Size:	16x10x3.8cm
Meas:	50x42x37cm
20'GP:	38600pcs



JLRT-702

Packing:	100pcs
G.W./N.W.:	17/16kgs
Size:	14.6x9.8x2.5cm
Meas:	67x40x32cm
20'GP:	34500pcs



Reflector Warning Triangle



JLRT-703

Packing:	100pcs
G.W./N.W.:	16/15kgs
Size:	19.3x7.3x3.1cm
Meas:	66x20x34cm
20'GP:	66500pcs



JLRT-704

Packing:	100pcs
G.W./N.W.:	20/19kgs
Size:	18x9.3x3.2cm
Meas:	39.5x31.5x40cm
20'GP:	60000pcs



Safety Hammer



JLRT-705

Packing:	100pcs
G.W./N.W.:	18/17kgs
Size:	19.5x7.5x3.5cm
Meas:	49x29x39cm
20'GP:	54000pcs



JLRT-706

Packing:	100pcs
G.W./N.W.:	17.5/16.5kgs
Size:	19x3.9cm
Meas:	49x43x34cm
20'GP:	41500pcs



JLRT-601

Packing:	10pcs
G.W./N.W.:	11.5/11kgs
Meas:	41x17x32cm
20'GP:	12500pcs



JLRT-602

Packing:	10pcs
G.W./N.W.:	18/17.5kgs
Meas:	48x20x32cm
20'GP:	9000pcs




JLRT-603

Packing:	6pcs
G.W./N.W.:	20/19.5kgs
Meas:	36x24x40cm
20'GP:	4800pcs



Safety Hammer



JLRT-01

Packing:	288pcs
G.W./N.W.:	12/11.5kgs
Meas:	44x39x50cm
20'GP:	100500pcs



JLRT-02

Packing:	288pcs
G.W./N.W.:	12/11.5kgs
Meas:	44x39x50cm
20'GP:	100500pcs



JLRT-03

Packing:	288pcs
G.W./N.W.:	12/11.5kgs
Meas:	44x39x50cm
20'GP:	100500pcs



JLRT-501

Packing:	50pcs
G.W./N.W.:	6.5/5.5kgs
Meas:	30x23.5x47cm
20'GP:	4500pcs



JLRT-502

Packing:	50pcs
G.W./N.W.:	6.5/5.5kgs
Meas:	30x23.5x47cm
20'GP:	4500pcs



JLRT-503

Packing:	50pcs
G.W./N.W.:	10.5/9.5kgs
Meas:	58x30x57cm
20'GP:	15000pcs



JLRT-504

Packing:	50pcs
G.W./N.W.:	11/10kgs
Meas:	58x28x55cm
20'GP:	16700pcs



JLRT-505

Packing:	50pcs
G.W./N.W.:	10.5/9.5kgs
Meas:	45x28x50cm
20'GP:	23800pcs



Auto Safety Kit



JLRT-B01

Packing:	30pcs
Material:	Polyester, GPPS+HIPS
G.W./N.W.:	14.5/13.5kgs
Carton Size:	46x35x32cm
20'GP:	16300pcs



JLRT-B02

Packing:	25pcs
Material:	Polyester, GPPS+HIPS
G.W./N.W.:	15.5/14.5kgs
Carton Size:	48x42x32cm
20'GP:	14500pcs




JLRT-B03

Packing:	20PCS
Material:	Polyester, GPPS+HIPS
G.W./N.W.:	20/19kgs
Carton Size:	48x42x32cm
20'GP:	9300pcs



Auto Safety Kit



JLRT-B04

Packing:	15pcs
Material:	Polyester, GPPS+HIPS
G.W./N.W.:	16/15kgs
Carton Size:	48x42x32cm
20'GP:	9300pcs



JLRT-B05

Packing:	15pcs
Material:	Polyester, GPPS+HIPS
G.W./N.W.:	16/15kgs
Carton Size:	48x42x32cm
20'GP:	9300pcs