



BE WITH US, BE WITH SAFETY!

宁波九隆五金有限公司

NINGBO JIULONG HARDWARE CO.LTD

NINGBO JIULONG INTERNATIONAL CO.LTD

公司地址：浙江·宁波·宁海科技工业园区B区8号

Add: NO.B-8Technology Industrial Park Ninghai
Ningbo,China

Office Add: Room 506-509,Guangbo International
Centre,No.1357 Yinxian Road,Ningbo,China

电话 (Tel) : 86-574-82815295 / 82815299

传真 (Fax) : 86-574-82815296

邮编 (P.C) : 315100

网址 (Http) : www.nb-jiulong.com / www.jlhardware.com

邮箱 (Email) : sales@jlhardware.com / jack@jlhardware.com

jack jin
CEO - Ningbo julong international co.,ltd



SCAN THE QR CODE TO SEE MORE



宁波九隆五金有限公司

NINGBO JIULONG HARDWARE CO.,LTD.

NINGBO JIULONG INTERNATIONAL CO.,LTD.

WIRE BRUSH 2019



Single section wheel brushes

>Application
For economical use

These brushes are ideally suitable for assembly either individually or in multiples on to shafts for grinding various face widths. The single segments can be adapted to the profile of the work piece.

Dimensions			Arbor hole	Stainless steel crimped	Brass coated wire, crimped	MSFS	Pack.
D mm	A mm	T mm	B max mm	0.30mm Item No.	0.30mm Item No.	RPM	Qty.
Φ50							
50	8	10	3/8" (9,6)	SBRA01	SBRB01	6.000	10
Φ63							
63	8	12	3/8" (9,6)	SBRA02	SBRB02	6.000	10
Φ75							
75	9	17	1/2" (12,7)	SBRA03	SBRB03	6.000	10
Φ100							
100	11	18	1/2" (12,7)	SBRA04	SBRB04	5.000	10
Φ125							
125	12	31	5/8" -1/2	SBRA05	SBRB05	5.000	10
Φ150							
150	12	31	5/8" -1/2	SBRA06	SBRB06	5.000	10
Φ175							
175	12	33	5/8" -1/2	SBRA07	SBRB07	4.500	10
Φ200							
200	14	39	5/8" -1/2	SBRA08	SBRB08	4.500	10

Do-it your self brushes

>Application
With arbor hole,unpacked


Single brushes for multi-purpose, economic use. They can be mounted singly or in multiples on a drive arbor or directly onto a portable tool.



Dimensions			Arbor hole	Tempered steel wire, knotted		MSFS	Pack.
D mm	A mm	T mm	B Inch	0.35mm Item No.	0.50mm Item No.	RPM	Qty.
Φ50							
50	7	10	3/8" *(9.6mm)	DSBRA01	DSBRB01	4.500	100
Φ63							
63	9	13	3/8" *(9.6mm)	DSBRA02	DSBRB02	4.500	100
Φ75							
75	10	16	3/8" *(9.6mm)	DSBRA03	DSBRB03	4.500	100
75	10	16	1/2" *(12.7mm)	DSBRA04	DSBRB04	4.500	100
Φ100							
100	12	22	1/2" *(12.7mm)	DSBRA05	DSBRB05	4.500	50
Φ125							
125	13	19	*5/8-1/2*	DSBRA06	DSBRB06	3.750	50
Φ150							
150	13	35	*5/8-1/2*	DSBRA07	DSBRB07	3.750	50
150	18	35	*5/8-1/2*	DSBRA08	DSBRB08	3.750	30



***reduced by plastic adaptor**
Drive arbors with 1/4" shank
For arbor hole 3/8" Item No.000 101-3008
For arbor hole 1/2" Item No.000 131-3008



Circular brushes 1

>Application
For use on drills and high speed electric tools

The small diameter of these brushes with 6mm shank makes them most suitable for use on hard to reach areas, internal surfaces and grooves.

Dimensions			Steel wire		Stainless steel wire		Brass wire	MSFS	Pack.
D mm	A mm	T mm	0.20mm Item No.	0.30mm Item No.	0.20mm Item No.	0.30mm Item No.	0.20mm Item No.	RPM	Qty.
Φ20									
20	6	4	1CCBRA01	1CCBRB01	1CCBRC01	1CCBRD01	1CCBRE01	20.000	10
20	9	4	1CCBRA02	1CCBRB02	1CCBRC02	1CCBRD02	1CCBRE02	20.000	10
Φ30									
30	6	6	1CCBRA03	1CCBRB03	1CCBRC03	1CCBRD03	1CCBRE03	20.000	10
30	9	6	1CCBRA04	1CCBRB04	1CCBRC04	1CCBRD04	1CCBRE04	20.000	10
30	12	6	1CCBRA05	1CCBRB05	1CCBRC05	1CCBRD05	1CCBRE05	20.000	10
Φ40									
40	7	10	1CCBRA06	1CCBRB06	1CCBRC06	1CCBRD06	1CCBRE06	18.000	10
40	11	10	1CCBRA07	1CCBRB07	1CCBRC07	1CCBRD07	1CCBRE07	18.000	10
40	16	10	1CCBRA08	1CCBRB08	1CCBRC08	1CCBRD08	1CCBRE08	18.000	10
Φ50									
50	10	13	1CCBRA09	1CCBRB09	1CCBRC09	1CCBRD09	1CCBRE09	15.000	10
50	17	13	1CCBRA10	1CCBRB10	1CCBRC10	1CCBRD10	1CCBRE10	15.000	10
50	23	13	1CCBRA11	1CCBRB11	1CCBRC11	1CCBRD11	1CCBRE11	15.000	10
Φ60									
60	12	15	1CCBRA12	1CCBRB12	1CCBRC12	1CCBRD12	1CCBRE12	15.000	10
60	18	15	1CCBRA13	1CCBRB13	1CCBRC13	1CCBRD13	1CCBRE13	15.000	10
60	23	15	1CCBRA14	1CCBRB14	1CCBRC14	1CCBRD14	1CCBRE14	15.000	10
Φ70									
70	11	15	1CCBRA15	1CCBRB15	1CCBRC15	1CCBRD15	1CCBRE15	15.000	10
70	18	15	1CCBRA16	1CCBRB16	1CCBRC16	1CCBRD16	1CCBRE16	15.000	10
70	23	15	1CCBRA17	1CCBRB17	1CCBRC17	1CCBRD17	1CCBRE17	15.000	10
Φ80									
80	12	20	1CCBRA18	1CCBRB18	1CCBRC18	1CCBRD18	1CCBRE18	12.000	10
80	19	20	1CCBRA19	1CCBRB19	1CCBRC19	1CCBRD19	1CCBRE19	12.000	10


Circular brushes 2

>Application
with arbor hole,for use on high speed driving engines

Single brushes for multi-purpose economic use. The small diameter of these brushes allows effective brushing in hard to reach areas, internal surfaces and grooves. They can be mounted singly or in multiples on a drive arbor or directly on to a portable tool.



Dimensions			Arbor hole		Steel wire		Stainless steel wire		Brass coated steel wire		MSFS	Pack.
D mm	A mm	T mm	B max mm	Inch	Fine Item No.	Coarse Item No.	Fine Item No.	Coarse Item No.	Fine Item No.	Coarse Item No.	RPM	Qty.
φ32												
32	6	7	10	3/8"	2CCBRA01	2CCBRB01	2CCBRC01	2CCBRD01	2CCBRE01	2CCBRF01	20.000	36
φ35												
35	7	10	10	3/8"	2CCBRA02	2CCBRB02	2CCBRC02	2CCBRD02	2CCBRE02	2CCBRF02	20.000	36
φ38												
38	7	10	10	3/8"	2CCBRA03	2CCBRB03	2CCBRC03	2CCBRD03	2CCBRE03	2CCBRF03	20.000	36
φ50												
50	8	13	13	1/2"	2CCBRA04	2CCBRB04	2CCBRC04	2CCBRD04	2CCBRE04	2CCBRF04	15.000	36
φ63												
63	10	19	13	1/2"	2CCBRA05	2CCBRB05	2CCBRC05	2CCBRD05	2CCBRE05	2CCBRF05	15.000	20
φ76												
76	10	25	13	1/2"	2CCBRA06	2CCBRB06	2CCBRC06	2CCBRD06	2CCBRE06	2CCBRF06	15.000	20



Cup brushes

>Application
For single handed angle grinders



For light or medium rust removal and deburring. For use on single handed angle grinders that are most commonly used by the tradesman. All brushes are delivered in attractive four coloured individual cartons.

Dimensions		Thread	Arbor hole	Brass coated steel wire, crimped			MSFS	Pack.
D mm	T mm	G	B mm	0.20mm Item No.	0.30mm Item No.	0.38mm Item No.	RPM	Qty.
φ65								
65	18	---	16	CBRA01	CBRB01	CBRC01	12.500	1
65	18	M10X1.25	---	CBRA02	CBRB02	CBRC02	12.500	1
65	18	M10X1.50	---	CBRA03	CBRB03	CBRC03	12.500	1
65	18	M14X2.00	---	CBRA04	CBRB04	CBRC04	12.500	1
65	18	5/8" X11NC	---	CBRA05	CBRB05	CBRC05	12.500	1
φ75								
Shank								
75	20	1/4" (6mm)	---	CBRA06	CBRB06	CBRC06	6.000	1
75	20	---	16	CBRA07	CBRB07	CBRC07	12.500	1
75	20	---	22.2	CBRA08	CBRB08	CBRC08	12.500	1
75	20	M10X1.25	---	CBRA09	CBRB09	CBRC09	12-500	1
75	20	M10X1.50	---	CBRA10	CBRB10	CBRC10	12-500	1
75	20	M14X2.00	---	CBRA11	CBRB11	CBRC11	12-500	1
75	20	5/8" X11NC	---	CBRA12	CBRB12	CBRC12	12-500	1


Bench grinder brushes

>Application
Aggressive, multiple row wheel brushes with Brass coated steel wire, crimped



The all-round brush for medium to heavy brush applications. A special advantage of these brushes is the added choice of adapters to fit most popular spindle diameters. All brushes are delivered in attractive four coloured individual cartons.

Dimensions			Arbor hole		Brass coated wire, crimped			MSFS	Pack.
D mm	A mm	T mm	B max mm	R mm	0.30mm Item No.	0.30mm Item No.	0.30mm Item No.	RPM	Qty.
Φ100									
100	16	17	20	30	BGBRA01	BGBRB01	BGBRC01	8.000	1
100	20	17	20	30	BGBRA02	BGBRB02	BGBRC02	8.000	1
Φ125									
125	18	27	20	40	BGBRA03	BGBRB03	BGBRC03	6.000	1
125	25	27	20	40	BGBRA04	BGBRB04	BGBRC04	6.000	1
Φ150									
150	18	28	32	50.8	BGBRA05	BGBRB05	BGBRC05	6.000	1
150	25	28	32	50.8	BGBRA06	BGBRB06	BGBRC06	6.000	1
Φ178									
178	20	37	32	50.8	BGBRA07	BGBRB07	BGBRC07	6.000	1
178	25	37	32	50.8	BGBRA08	BGBRB08	BGBRC08	6.000	1
Φ200									
200	20	34	32	80	BGBRA09	BGBRB09	BGBRC09	4.500	1
200	25	34	32	80	BGBRA10	BGBRB10	BGBRC10	4.500	1
Φ250									
250	20	47	32	100	BGBRA11	BGBRB11	BGBRC11	3.000	1
250	25	47	32	100	BGBRA12	BGBRB12	BGBRC12	3.000	1
Φ300									
300	30	60	32	120	BGBRA13	BGBRB13	BGBRC13	3.000	1
300	42	60	32	120	BGBRA14	BGBRB14	BGBRC14	3.000	1



Tapered brushes

>Application
For angle grinders/electric drills

The ideal shape for brushing hard-to reach areas. Multi-purpose brushes for light and medium cleaning jobs. Brushes with thread are delivered in attractive four coloured individual cartons. Brushes with shank on display card.

Dimensions			Thread	Arbor hole	Brass coated wire, coated	steel wire, crimped	MSFS	Pack.
D mm	A mm	T mm	G	B mm.	4*0.30mm Item No.	0.30mm Item No.	RPM	Qty.
Tapered brushes with shank								
100	12	20	1/4(6mm)	---	TBRA01	TBRB01	4500	1
100	10	20	---	16	TBRA02	TBRB02	12.500	1
100	20	20	---	16	TBRA03	TBRB03	12.500	1
100	10	20	---	---	TBRA04	TBRB04	12.500	1
100	20	20	M10*1.25	---	TBRA05	TBRB05	12.500	1
100	10	20	M10*1.25	---	TBRA06	TBRB06	12.500	1
100	20	20	M10*1.50	---	TBRA07	TBRB07	12.500	1
100	10	20	M14*2.00	---	TBRA08	TBRB08	12.500	1
100	20	20	M14*2.00	---	TBRA09	TBRB09	12.500	1
100	10	20	5/8" x11NC	---	TBRA10	TBRB10	12.500	1
100	20	20	5/8" x11NC	---	TBRA11	TBRB11	12.500	1
115	10	26	---	22.2	TBRA12	TBRB12	12.500	1
115	20	26	---	22.2	TBRA13	TBRB13	12.500	1
115	10	26	M14*2.00	---	TBRA14	TBRB14	12.500	1
115	20	26	M14*2.00	---	TBRA15	TBRB15	12.500	1
115	10	26	5/8" x11NC	---	TBRA16	TBRB16	12.500	1
115	20	26	5/8" x11NC	---	TBRA17	TBRB17	12.500	1
125	10	23	---	22.2	TBRA18	TBRB18	10.000	1
125	20	23	---	22.2	TBRA19	TBRB19	10.000	1
125	10	23	M14*2.00	---	TBRA20	TBRB20	10.000	1
125	20	23	M14*2.00	---	TBRA21	TBRB21	10.000	1
125	10	23	5/8" x11NC	---	TBRA22	TBRB22	10.000	1
125	20	23	5/8" x11NC	---	TBRA23	TBRB23	10.000	1

Japanese cup/tapered brushes

>Application
For single handed angle grinders

For light or medium rust removal and deburring. For use on single handed angle grinders that are most commonly used by the tradesman. All brushes are delivered in attractive four coloured individual cartons.



Dimensions		Thread	Arbor hole	Cordwire, brass coated	steel wire, crimped	MSFS	Pack.
D mm	T mm	G	B mm	4*0.25mm Item No.	0.30mm Item No.	RPM	Qty.
65	18	---	16	JBRA01	JBRB01	12500	1
65	18	M10*1.25	---	JBRA02	JBRB02	12500	1
65	18	M10*1.50	---	JBRA03	JBRB03	12500	1
65	18	M14x2.00	---	JBRA04	JBRB04	12500	1
65	18	5/8" x11NC	---	JBRA05	JBRB05	12500	1
75	20	---	16	JBRA06	JBRB06	12000	1
75	20	---	22.2	JBRA07	JBRB07	12000	1
75	20	M10*1.25	---	JBRA08	JBRB08	12000	1
75	20	M10*1.50	---	JBRA09	JBRB09	12000	1
75	20	M14x2.00	---	JBRA10	JBRB10	12000	1
75	20	5/8" x11NC	---	JBRA11	JBRB11	12000	1
75	20	M16x2.00	---	JBRA12	JBRB12	12000	1
85	15	---	16	JBRA13	JBRB13	12000	1
85	15	M10*1.25	---	JBRA14	JBRB14	12000	1
85	15	M10*1.50	---	JBRA15	JBRB15	12000	1
85	15	M14x2.00	---	JBRA16	JBRB16	12000	1
85	15	5/8" x11NC	---	JBRA17	JBRB17	12000	1
85	15	M16x2.00	---	JBRA18	JBRB18	12000	1



Tapered brushes, knotted

>Application
For single handed angle grinders/drills

The ideal shape for brushing hard to reach areas. Multi-purpose brushes for light and medium cleaning jobs. Brushes with thread are delivered in attractive four coloured individual cartons. Brushes with shank are packed on display card.

Dimensions			Koots No.	Thread G	Arbor hole B mm	Tempered steel wire, knotted		MSFS RPM	Pack. Qty.
D mm	A mm	T mm				0.35mm Item No.	0.50mm Item No.		
Tempered brushes, knotted, with shank									
Φ75									
75	10	18	15	1/4(6mm)	---	TKBRA01	TKBRB01	15000	1
Φ100									
100	12	20	18	1/4(6mm)	---	TKBRA02	TKBRB02	12500	1
Tempered brushes, knotted, with thread									
Φ100									
100	13	22	18	---	16	TKBRA03	TKBRB03	12.500	1
100	13	22	18	M10*1.25	---	TKBRA04	TKBRB04	12.500	1
100	13	22	18	M10*1.50	---	TKBRA05	TKBRB05	12.500	1
100	13	22	18	M14*2.00	---	TKBRA06	TKBRB06	12.500	1
100	13	22	18	5/8" *11NC	---	TKBRA07	TKBRB07	12.500	1
Φ115									
115	15	23	20	---	22.2	TKBRA08	TKBRB08	12.500	1
115	15	23	20	M14*2.00	---	TKBRA09	TKBRB09	12.500	1
115	15	23	20	5/8" *11NC	---	TKBRA10	TKBRB10	12.500	1
Φ125									
125	15	28	20	---	22.2	TKBRA11	TKBRB11	10.000	1
125	15	28	20	M14*2.00	---	TKBRA12	TKBRB12	10.000	1
125	15	28	20	5/8" *11NC	---	TKBRA13	TKBRB13	10.000	1


End brushes, knotted/crimped

>Application
For use in high speed tools

For use in high speed air and electric tools. For removing burrs, rust, cinder, scale, paint, excess rubber and other contamination on hard-to-reach areas and internal surfaces. Brushes can be packed on clamshells or display cards.



Dimensions			Koots No.	Shank Ø	Tempered steel wire		MSFS RPM	Pack. Qty.
D mm	L mm	T mm			0.35mm Item No.	0.50mm Item No.		
19	45	25	6	1/4" (6MM)	EBRA01	EBRB01	20000	1
22	45	25	8	1/4" (6MM)	EBRA02	EBRB02	20000	1
25	50	25	10	1/4" (6MM)	EBRA03	EBRB03	20001	1
30	50	25	12	1/4" (6MM)	EBRA04	EBRB04	18000	1
16	45	25	---	1/4" (6MM)	EBRA05	EBRB05	18000	1
19	45	25	---	1/4" (6MM)	EBRA06	EBRB06	18000	1
22	45	25	---	1/4" (6MM)	EBRA07	EBRB07	18000	1
25	50	25	---	1/4" (6MM)	EBRA08	EBRB08	18000	1
30	50	25	---	1/4" (6MM)	EBRA09	EBRB09	15000	1
16	45	25	---	1/4" (6MM)	EBRA10	EBRB10	18000	1
19	45	25	---	1/4" (6MM)	EBRA11	EBRB11	18000	1
22	45	25	---	1/4" (6MM)	EBRA12	EBRB12	18000	1
25	50	25	---	1/4" (6MM)	EBRA13	EBRB13	18000	1
30	50	25	---	1/4" (6MM)	EBRA14	EBRB14	15000	1
50	50	25	---	1/4" (6MM)	EBRA15	EBRB15	15000	1
70	50	25	---	1/4" (6MM)	EBRA16	EBRB16	15000	1



Twist knot wheel brushes

>Application
With tempered steel wire, knotted For high speed angle grinders


The ideal shape for brushing hard-to-reach areas. Multi-purpose brushes for light and medium cleaning jobs. All brushes are delivered in attractive four coloured individual cartons.

Dimensions			Knots No.	Arbor hole B max mm.	Thread G	Tempered steel wire, knotted			MSFS RPM	Pack. Qty.
D mm	A mm	T mm				0.35mm Item No.	0.50mm Item No.	0.80mm Item No.		
75	8	8	15	12.7	---	TWHSBRA01	TWHSBRB01	TWHSBRC01	20.000	1
80	10	10	20	16	---	TWHSBRA02	TWHSBRB02	TWHSBRC02	20.000	1
100	12	12	20	---	---	TWHSBRA03	TWHSBRB03	TWHSBRC03	12.500	1
100	12	12	20	---	M10*1.25	TWHSBRA04	TWHSBRB04	TWHSBRC04	12.500	1
100	12	12	20	---	M10*1.50	TWHSBRA05	TWHSBRB05	TWHSBRC05	12.500	1
100	12	12	20	---	M14*2.00	TWHSBRA06	TWHSBRB06	TWHSBRC06	12.500	1
100	12	12	20	---	5/8*11NC	TWHSBRA07	TWHSBRB07	TWHSBRC07	12.500	1
115	12	12	20	22.2	---	TWHSBRA08	TWHSBRB08	TWHSBRC08	12.500	1
115	12	12	20	---	M14*2.00	TWHSBRA09	TWHSBRB09	TWHSBRC09	12.500	1
115	12	12	20	---	5/8*11NC	TWHSBRA10	TWHSBRB10	TWHSBRC10	12.500	1
115	12	12	20	---	M16*2.00	TWHSBRA11	TWHSBRB11	TWHSBRC11	12.500	1
125	13	13	20	22.2	---	TWHSBRA12	TWHSBRB12	TWHSBRC12	10.000	1
125	13	13	20	---	M14*2.00	TWHSBRA13	TWHSBRB13	TWHSBRC13	10.000	1
125	13	13	20	---	5/8*11NC	TWHSBRA14	TWHSBRB14	TWHSBRC14	10.000	1
125	13	13	20	---	M16*2.00	TWHSBRA15	TWHSBRB15	TWHSBRC15	10.000	1
150	13	13	24	22.2	---	TWHSBRA16	TWHSBRB16	TWHSBRC16	9.000	1
150	13	13	24	---	M14*2.00	TWHSBRA17	TWHSBRB17	TWHSBRC17	9.000	1
150	13	13	24	---	5/8*11NC	TWHSBRA18	TWHSBRB18	TWHSBRC18	9.000	1
150	13	13	24	---	M16*2.00	TWHSBRA19	TWHSBRB19	TWHSBRC19	9.000	1
178	13	13	30	22.2	---	TWHSBRA20	TWHSBRB20	TWHSBRC20	9.000	1
178	13	13	30	---	M14*2.00	TWHSBRA21	TWHSBRB21	TWHSBRC21	9.000	1
178	13	13	30	---	5/8*11NC	TWHSBRA22	TWHSBRB22	TWHSBRC22	9.000	1
178	13	13	30	---	M16*2.00	TWHSBRA23	TWHSBRB23	TWHSBRC23	9.000	1
200	13	13	34	22.2	---	TWHSBRA24	TWHSBRB24	TWHSBRC24	8.500	1
200	13	13	34	---	M14*2.00	TWHSBRA25	TWHSBRB25	TWHSBRC25	8.500	1
200	13	13	34	---	5/8*11NC	TWHSBRA26	TWHSBRB26	TWHSBRC26	8.500	1
200	13	13	34	---	M16*2.00	TWHSBRA27	TWHSBRB27	TWHSBRC27	8.500	1
250	15	15	48	25.4	---	TWHSBRA28	TWHSBRB28	TWHSBRC28	4.500	1
300	18	18	60	25.4	---	TWHSBRA29	TWHSBRB29	TWHSBRC29	3.600	1

Twist knot wheel brushes

>Application
With tempered steel wire For weld cleaning

An aggressive model for use at high speed for descaling, deburring, removing rust and adhesive residues, and for preparing and cleaning welding seams. All brushes are delivered in attractive four coloured individual cartons.




Dimensions			Knots No.	Arbor hole B mm	Thread G	Tempered steel wire, knotted 0.80mm Item No.	MSFS RPM	Pack. Qty.
D mm	T mm	Koots No.						
150	6	35	39	---	5/8*11nc	TWBRA01	9000	1
150	6	35	39	---	M16*2.00	TWBRA02	9000	1
150	6	32	46	22.2	---	TWBRA03	9000	1
150	6	32	46	---	M14*2.00	TWBRA04	9000	1
150	6	32	46	---	5/8*11nc	TWBRA05	9000	1
150	6	32	46	---	M16*2.00	TWBRA06	9000	1
150	6	32	50	22.2	---	TWBRA07	9000	1
150	6	32	50	---	M14*2.00	TWBRA08	9000	1
150	6	32	50	---	5/8*11nc	TWBRA09	9000	1
150	6	32	50	---	M16*2.00	TWBRA10	9000	1
165	6	32	50	22.2	---	TWBRA11	9000	1
165	6	32	50	---	M14*2.00	TWBRA12	9000	1
165	6	32	50	---	5/8*11nc	TWBRA13	9000	1
165	6	32	50	---	M16*2.00	TWBRA14	9000	1
165	6	32	60	22.2	---	TWBRA15	9000	1
165	6	32	60	---	M14*2.00	TWBRA16	9000	1
165	6	32	60	---	5/8*11nc	TWBRA17	9000	1
165	6	32	60	---	M16*2.00	TWBRA18	9000	1
171	6	32	60	22.2	---	TWBRA19	9000	1
171	6	32	60	---	M14*2.00	TWBRA20	9000	1
171	6	32	60	---	5/8*11nc	TWBRA21	9000	1
171	6	32	60	---	M16*2.00	TWBRA22	9000	1
178	6	35	60	22.2	---	TWBRA23	9000	1
178	6	35	60	---	M14*2.00	TWBRA24	9000	1
178	6	35	60	---	5/8*11nc	TWBRA25	9000	1
178	6	35	60	---	M16*2.00	TWBRA26	9000	1
178	6	35	76	22.2	---	TWBRA27	9000	1
178	6	35	76	---	M14*2.00	TWBRA28	9000	1
178	6	35	76	---	5/8*11nc	TWBRA29	9000	1
178	6	35	76	---	M16*2.00	TWBRA30	9000	1

Tube and flue brushes

>Application
Tube and flue brushes

Tube and flue brushes for very heavy cleaning jobs, with reinforced core.



Dimensions			Steel wire	Thread	Steel wire, single spiral		Pack.
D mm	A mm	T mm	Wire size mm	G	Item No.	Crosswise connect Item No.	Qty.
10	100	140	---	M6	TFBRA01	TFBRB01	12
12	100	140	---	M6	TFBRA02	TFBRB02	12
14	100	140	---	M6	TFBRA03	TFBRB03	12
15	100	140	---	5/16"WW	TFBRA04	TFBRB04	12
18	100	140	---	5/16"WW	TFBRA05	TFBRB05	12
20	100	140	---	5/16"WW	TFBRA06	TFBRB06	12
25	100	160	---	1/2"WW	TFBRA07	TFBRB07	12
28	100	160	---	1/2"WW	TFBRA08	TFBRB08	12
30	100	160	---	1/2"WW	TFBRA09	TFBRB09	12
32	100	160	---	1/2"WW	TFBRA10	TFBRB10	12
38	100	160	---	1/2"WW	TFBRA11	TFBRB11	12
40	100	160	---	1/2"WW	TFBRA12	TFBRB12	12
44	100	160	---	1/2"WW	TFBRA13	TFBRB13	12
50	100	160	---	1/2"WW	TFBRA14	TFBRB14	6
57	100	160	---	1/2"WW	TFBRA15	TFBRB15	6
60	100	160	---	1/2"WW	TFBRA16	TFBRB16	6
63	100	160	---	1/2"WW	TFBRA17	TFBRB17	6
69	100	160	---	1/2"WW	TFBRA18	TFBRB18	6
75	100	160	---	1/2"WW	TFBRA19	TFBRB19	6
82	100	160	---	1/2"WW	TFBRA20	TFBRB20	6
90	100	160	---	1/2"WW	TFBRA21	TFBRB21	6
101	100	160	---	1/2"WW	TFBRA22	TFBRB22	6
Pipe fitting cleaning brushes with plastic handle							
16	25	160	0.15	---	TFBRA23	TFBRB23	12
19	28	160	0.20	---	TFBRA24	TFBRB24	12
23	32	160	0.20	---	TFBRA25	TFBRB25	12
26	32	160	0.25	---	TFBRA26	TFBRB26	12
29	32	160	0.25	---	TFBRA27	TFBRB27	12
33	35	160	0.25	---	TFBRA28	TFBRB28	12
42	38	160	0.25	---	TFBRA29	TFBRB29	6
56	51	160	0.25	---	TFBRA30	TFBRB30	6

Abrasive flap discs

>Application
Abrasive flap discs

Abrasive Flap Discs are used for finishing surfaces of steel, cast iron, non-ferrous metals, wood and hard plastics. Ideally suited for deburring, coating, polishing, removing rust, paint, varnish and body filler.



Dimensions		Arbor hole	Grit	Chips	Zirconium		Aluminium Oxide		MSFS	Pack.
D mm	B mm				Chips tapered Item No.	Chips flat Item No.	Chips tapered Item No.	Chips flat Item No.	RPM	Qty.
100	16	40	50	AFDA01	AFDB01	AFDC01	AFDD01	15.000	10	
100	16	60	60	AFDA02	AFDB02	AFDC02	AFDD02	15.000	10	
100	16	80	60	AFDA03	AFDB03	AFDC03	AFDD03	15.000	10	
100	16	100	72	AFDA04	AFDB04	AFDC04	AFDD04	15.000	10	
100	16	120	72	AFDA05	AFDB05	AFDC05	AFDD05	15.000	10	
115	22,2	40	50	AFDA06	AFDB06	AFDC06	AFDD06	13.000	10	
115	22,2	60	72	AFDA07	AFDB07	AFDC07	AFDD07	13.000	10	
115	22,2	80	72	AFDA08	AFDB08	AFDC08	AFDD08	13.000	10	
115	22,2	100	80	AFDA09	AFDB09	AFDC09	AFDD09	13.000	10	
115	22,2	120	80	AFDA10	AFDB10	AFDC10	AFDD10	13.000	10	
125	22,2	40	72	AFDA11	AFDB11	AFDC11	AFDD11	12.000	10	
125	22,2	60	80	AFDA12	AFDB12	AFDC12	AFDD12	12.000	10	
125	22,2	80	80	AFDA13	AFDB13	AFDC13	AFDD13	12.000	10	
125	22,2	100	96	AFDA14	AFDB14	AFDC14	AFDD14	12.000	10	
125	22,2	120	96	AFDA15	AFDB15	AFDC15	AFDD15	12.000	10	
180	22,2	40	80	AFDA16	AFDB16	AFDC16	AFDD16	8.500	10	
180	22,2	60	96	AFDA17	AFDB17	AFDC17	AFDD17	8.500	10	
180	22,2	80	120	AFDA18	AFDB18	AFDC18	AFDD18	8.500	10	
180	22,2	100	120	AFDA19	AFDB19	AFDC19	AFDD19	8.500	10	
180	22,2	120	120	AFDA20	AFDB20	AFDC20	AFDD20	8.500	10	

Hand scratch brushes

>Application
Battery terminal brushes



Fill material		Dimensions				Item No.	Pack.
		L mm	B mm	A mm	D mm		Qty.
Fill cards, plastic handle		235	50	75	---	HSBR01	12
		235	50	115	---	HSBR02	12
Fill cards, wooden handle		270	40	120	---	HSBR03	12
Battery Terminal Brush							
Steel wire, crimped	Plastic body	120	---	65	25/15	HSBR04	12
	Metal body	85	---	35	25/15	HSBR05	12
Multi-purpose tube brush (4 in tube brush)							
Inside brushes, 1/2+3/4		200	---	---	---	HSBR06	12
Outside brushes, 1/2+3/4							

Brushes with abrasive nylon

>Application
Packed on display cards

These brushes are filled with abrasive nylon and are very suitable for deburring highly profiled parts without damaging component surfaces. Using new abrasive grits are CONTOUSIV exposed, so giving optimum abrasive performance under all circumstances.



Dimensions	Shank Ø/Hole Ø	Abrasive nylon		MSFS	Pack.
		Coarse-red, 80 grit Item No.	Fine-blue, 180 grit Item No.		
Wheel brushes	Shank Ø				
50	1/4" (6mm)	BANBRA01	BANBRB01	4.500	10
60	1/4" (6mm)	BANBRA02	BANBRB02	4.500	10
75	1/4" (6mm)	BANBRA03	BANBRB03	4.500	10
100	1/4" (6mm)	BANBRA04	BANBRB04	4.500	10
Wheel brushes					
75	3/8" or 1/2"	BANBRA05	BANBRB05	4.500	20
100	1/2"	BANBRA06	BANBRB06	4.500	20
125	5/8" or 1/2"	BANBRA07	BANBRB07	3.750	20
150	5/8" or 1/2"	BANBRA08	BANBRB08	3.750	20
Cup brushes					
50	1/4" (6mm)	BANBRA09	BANBRB09	4.500	10
75	1/4" (6mm)	BANBRA10	BANBRB10	4.500	10
End brushes					
22	1/4" (6mm)	BANBRA11	BANBRB11	18.000	20
25	1/4" (6mm)	BANBRA12	BANBRB12	18.000	20
30	1/4" (6mm)	BANBRA13	BANBRB13	18.000	20
Flapper brush, 100	1/4" (6mm)	BANBRA14	BANBRB14	3.500	12